

Version 04. Supersedes version: 03 Page 1 / 8

Date printed 18.02.2014, Revision 12.02.2014

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

SWAG 30 92 7975 automatic transmission fluid (CVT) Article number 30 92 7975

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Company

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to	
Technical information	info@swag.de
Safety Data Sheet	info@swag.de

1.4 Emergency phone Advisory body +49 (0)89-19240 (24h) (english) Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

2.2 Label elements

2.3

Labelling according to Regulation 67/548/EEC or 1999/45/EC

	The product is required to be labelled in accordance with EC-Directives.
Hazard symbols	none
R-phrases	none
Special labelling	Contains: C14-C18 alpha-olefin epoxide and reaction products of boric acid. May produce an allergic reaction.
Other hazards	

Human health dangersFrequent persistent contact with the skin can cause skin irritation.
If swallowed or in the event of vomiting, risk of product entering the lungs.Environmental hazardsDoes not contain any PBT or vPvB substances.Other hazardsFurther hazards were not determined with the current level of knowledge.

Date printed 18.02.2014, Revision 12.02.2014



Version 04. Supersedes version: 03 Page 2 / 8

SEC	TION 3: Composition / Information	n on ingredients
	Product-type: The product is a mixture.	
	Comment on component parts	No dangerous components. Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
SEC	TION 4: First aid measures	
4.1	Description of first aid measures General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
4.2	Most important symptoms and e	ffects, both acute and delayed
		Headache
4.3	Indication of any immediate med	ical attention and special treatment needed
		Treat symptomatically. Forward this sheet to the doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Carbon dioxide. Dry powder. Foam.
	Extinguishing media that must not be used	Full water jet.
5.2	2 Special hazards arising from the substance or mixture	
		Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Nitrogen oxides (NOx).
5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
V. 2		Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).

Date printed 18.02.2014, Revision 12.02.2014



Version 04. Supersedes version: 03 Page 3 / 8

6.3	Methods and material for containment and cleaning up		
		Take up residues with absorbent material (e.g. sand). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
	-	No special measures necessary if used correctly.	
		The product is combustible.	
		Wash hands before breaks and after work.	
		Use barrier skin cream.	
		Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.	
		Take off contaminated clothing and wash before reuse.	
7.2	Conditions for safe storage, inclu	Iding any incompatibilities	
		Keep only in original container.	
		Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	
		Keep container tightly closed.	
7.3	Specific end use(s)		
		See product use, SECTION 1.2	
SEC	TION 8: Exposure controls / perso	nal protection	
8.1	Control parameters		
8.1	Ingredients with occupational		
8.1	-		
8.1	Ingredients with occupational	not applicable	
8.1	Ingredients with occupational		
	Ingredients with occupational exposure limits to be monitored (GB)		
8.1	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls	not applicable	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	not applicable Ensure adequate ventilation on workstation.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls	not applicable	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Light protective clothing.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Light protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Light protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other Respiratory protection Thermal hazards Delimitation and monitoring of the	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Light protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Not required under normal conditions.	
	Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other Respiratory protection Thermal hazards	not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Light protective clothing. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Not required under normal conditions.	



Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03 Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation en baole phyerear ana	enemiea prepertiee
Form	liquid
Color	amber colour
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	210 (ISO 2592)
Flammability [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,848 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	34 mm²/s (DIN 51562) (40°C)
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03 Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

No classification on the basis of the calculation procedure of the preparation directive. Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available.



Version 04. Supersedes version: 03 Page 6 / 8

Date printed 18.02.2014, Revision 12.02.2014

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	For recycling, consult manufacturer. In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

	Transport by la ADR/RID	and according to	NO DANGEROUS GOODS
--	----------------------------	------------------	--------------------

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



Version 04. Supersedes version: 03 Page 7 / 8

Date printed 18.02.2014, Revision 12.02.2014

SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	0%
15.2	Chemical safety assessment	
	-	not applicable
SEC	TION 16: Other information	
16 1	Abbreviations and acronyms:	
10.1	Abbreviations and acronyins.	ADR = Accord européen relatif au transport international des marchandises Dangereuses par
		Route
		RID = Règlement concernant le transport international ferroviaire de marchandises
		dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par
		voie de navigation intérieure
		CAS = Chemical Abstracts Service
		CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level
		DNEL = Derived No Effect Level
		EC50 = Median effective concentration
		ECB = European Chemicals Bureau
		EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances
		GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying
		Dangerous Chemicals in Bulk
		IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform Chemical Information Database
		LC50 = Lethal concentration, 50%
		LD50 = Median lethal dose
		MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance
		PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
		TLV®/TWA = Threshold limit value – time-weighted average
		TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds
		vPvB = very Persistent and very Bioaccumulative
16 2	Other information	
10.2	Modified position	SECTION 4 been added: Forward this sheet to the doctor.
	incaried position	SECTION 4 been added: Rinse out mouth and give plenty of water to drink.
		SECTION 4 been added: If eye irritation persists: Get medical advice/attention.
		SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		SECTION 7 been added: Take off contaminated clothing and wash before reuse.
		SECTION 7 been added: Contaminated work clothing should not be allowed out of the
		workplace.



Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03 Page 8 / 8