

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 1 / 8

## SECTION 1: Identification of the substance / preparation and of the company

### 1.1 Product identifier

**SWAG 30 93 9095 automatic transmission fluid**  
**Article number 30 93 9095, 30 93 9096, 30 93 9097, 30 93 9098**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

##### Technical information

[info@swag.de](mailto:info@swag.de)

##### Safety Data Sheet

[info@swag.de](mailto:info@swag.de)

### 1.4 Emergency phone

#### Advisory body

+49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

see SECTION 16

#### 2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with EC-Directives.

#### Labelling according to Regulation 67/548/EEC or 1999/45/EC

##### Hazard symbols

none

##### R-phrases

none

##### Special labelling

Safety data sheet available for professional user on request.

Contains: Alkylamine. May produce an allergic reaction.

### 2.3 Other hazards

#### Human health dangers

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Frequent persistent contact with the skin can cause skin irritation.

#### Environmental hazards

Does not contain any PBT or vPvB substances.

#### Other hazards

Further hazards were not determined with the current level of knowledge.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 2 / 8

### SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
25 - 50	Distillates (petroleum), hydrotreated light paraffinic CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, ECB-Nr.: 01-2119487077-29-xxxx GHS/CLP: Asp. Tox. 1: H304
0,1 - <1	Dimantine CAS: 124-28-7, EINECS/ELINCS: 204-694-8 GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Acute 1: H400 EEC: C-N, R 34-22-50

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.  
For full text of H-statements and R-phrases: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Change soaked clothing.

##### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek for medical treatment.

##### Skin contact

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

##### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

##### Ingestion

Seek medical advice immediately.  
Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
If swallowed or in the event of vomiting, risk of product entering the lungs.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

##### Extinguishing media that must not be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.  
Forms slippery surfaces with water.  
Keep away from all sources of ignition.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 3 / 8

## 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

## 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).  
Dispose of absorbed material in accordance with the regulations.

## 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
Use only in well-ventilated areas.

Do not eat, drink or smoke when using this product.  
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.  
Use barrier skin cream.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container in a well-ventilated place.  
Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

not applicable

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	Safety glasses.
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >120 min (EN 374).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P2.
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 4 / 8

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Color	green
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	200 (EN ISO 2592)(COC)
Flammability [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,849 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	29,6 mm <sup>2</sup> /s 40°C (DIN 51562)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

The product is stable under standard conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

### 10.4 Conditions to avoid

See SECTION 7.2.

### 10.5 Incompatible materials

not determined

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 5 / 8

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

Toxicological data of complete product are not available.  
No classification on the basis of the calculation procedure of the preparation directive.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 12: Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.  
Ecological data of complete product are not available.  
Do not discharge product unmonitored into the environment or into the drainage.  
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 6 / 8

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.  
In according to RoHS!

#### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150110\*  
150102

## SECTION 14: Transport information

### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 7 / 8

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EEC-REGULATIONS</b>	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
<b>TRANSPORT-REGULATIONS</b>	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	no
- VOC (1999/13/CE)	0 %

### 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

### 16.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



Signal word

DANGER

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.  
EUH208 May produce an allergic reaction.

Classification procedure

Classification according to conversion table Annex VII 1272/2008/EC

### 16.2 R-phrases (SECTION 3)

R 65: Harmful - may cause lung damage if swallowed.  
R 66: Repeated exposure may cause skin dryness or cracking.  
R 34: Causes burns.  
R 22: Harmful if swallowed.  
R 50: Very toxic to aquatic organisms.

### 16.3 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H304 May be fatal if swallowed and enters airways.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 18.02.2014, Revision 06.02.2014

Version 01

Page 8 / 8

#### 16.4 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

#### 16.5 Other information

##### Modified position

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.

SECTION 7 been added: Do not eat, drink or smoke when using this product.