

42117 Wuppertal

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02 Page 1 / 8

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

SWAG 99 90 8971 automatic transmission fluid (ATF) Article number 99 90 8971, 10 93 0017

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Company

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to	
Technical information	info@swag.de
Safety Data Sheet	info@swag.de

1.4 Emergency phone Advisory body

+49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

2.2 Label elements

Labelling according to Regulation 67/548/EEC or 1999/45/EC

	The product does not require a hazard warning label in accordance with EC-directives.
Hazard symbols	none
R-phrases	none
Special labelling	Safety data sheet available for professional user on request.
Other hazards	
Physico-chemical hazards	No particular hazards known.
Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.
Other hazards	No particular hazards known.
	R-phrases Special labelling Other hazards Physico-chemical hazards Human health dangers

SECTION 3: Composition / Information on ingredients



Product-type:

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02 Page 2 / 8

	The product is a mixture.			
	Range [%]	/1 Substance		
		Methacrylate copol	umer	
	1-3	EINECS/ELINCS: F	•	
	GHS/CLP: Eye Irrit.		•	
		EEC: Xi, R 36		
		,		
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.	
SEC	TION 4: First aid	measures		
4.1	-	rst aid measures		
	General information	on	Change soaked clothing.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek for medical treatment.	
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.	
4.2	2 Most important symptoms and effects, both acute and delayed No information available.			
4.3	Indication of any	y immediate med	ical attention and special treatment needed If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.	
SEC	TION 5: Fire-fight	ing measures		
5.1	Extinguishing m	edia		
	Suitable extinguis		Carbon dioxide. Dry powder. Foam.	
	Extinguishing mee be used	dia that must not	Full water jet.	
5.2	Special hazards	arising from the	substance or mixture	
			Not combusted hydrocarbons. Unknown risk of formation of toxic pyrolysis products. Sulphur oxides (SOx). Nitrogen oxides (NOx).	
5.3	Advice for firefig	ghters	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
			Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	



Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02 Page 3 / 8

SEC	TION 6: Accidental release measu	ires	
6.1	Personal precautions, protective	equipment and emergency procedures	
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.	
6.3	Methods and material for contair	nment and cleaning up	
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections	See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Avoid formation of aerosols.	
		The product is combustible.	
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.	
7.2	Conditions for safe storage, inclu	uding any incompatibilities	
	· · · · · · · · · · · · · · · · · · ·	Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.	
		Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.	
7.3	Specific end use(s)		
		See product use, SECTION 1.2	
SECTION 8: Exposure controls / personal protection			

8.1 Control parameters Ingredients with occupational exposure limits to be monitored (GB)

not applicable

42117 Wuppertal

Date printed 18.02.2014, Revision 07.02.2014



Version 03. Supersedes version: 02 Page 4 / 8

8.2	Exposure controls Additional advice on system design Eye protection	Ensure adequate ventilation on workstation. Safety glasses.
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).
	Skin protection	Light protective clothing.
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
	Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1.
	Thermal hazards	none
	Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	
Form	liquid
Color	red
Odor	mild
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	175 (DIN ISO 2592)
Flammability [°C]	not determined
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
Density [g/ml]	~0,86 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	~38 mm²/s (40°C) (DIN 51562/T1)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	~-40 (DIN ISO 3016)
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	> 65

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

Date printed 18.02.2014, Revision 07.02.2014



Version 03. Supersedes version: 02 Page 5 / 8

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong acids.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

No classification on the basis of the calculation procedure of the preparation directive. Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.



42117 Wuppertal

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02 Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Disposal in an incineration plant in accordance with the regulations of the local authorities. Coordinate disposal with the disposal contractor/authorities if necessary.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name Transport by land according to ADR/RID		NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



Version 03. Supersedes version: 02 Page 7 / 8

SECTION 15: Regulatory information

Date printed 18.02.2014, Revision 07.02.2014

15.1	1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC	
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4	
	- Observe employment restrictions for people	no	
	- VOC (1999/13/CE)	not applicable	
15.2	Chemical safety assessment		
		not applicable	
SEC	TION 16: Other information		
16.1	R-phrases (SECTION 3)		
		R 36: Irritating to eyes.	
16.2	Hazard statements (SECTION 3)		
		H319 Causes serious eye irritation.	
16.3	Abbreviations and acronyms:		
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par	
		Route RID = Règlement concernant le transport international ferroviaire de marchandises	
		dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par	
		voie de navigation intérieure	
		CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging	
		DMEL = Derived Minimum Effect Level	
		DNEL = Derived No Effect Level	
		EC50 = Median effective concentration ECB = European Chemicals Bureau	
		EEC = European Economic Community	
		EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances	
		GHS = Globally Harmonized System of Classification and Labelling of Chemicals	
		IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying	
		Dangerous Chemicals in Bulk	
		IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods	
		IUCLID = International Uniform ChemicaL Information Database	
		LC50 = Lethal concentration, 50%	
		LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships	
		PBT = Persistent, Bioaccumulative and Toxic substance	
		PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals	
		TLV®/TWA = Threshold limit value - time-weighted average	
		TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds	
		vPvB = very Persistent and very Bioaccumulative	
16.4	Other information		
	Modified position	SECTION 4 been added: Forward this sheet to the doctor.	
		SECTION 4 been added: If eye irritation persists: Get medical advice/attention.	
		SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
		SECTION 7 been added: Take off contaminated clothing and wash before reuse.	
		SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.	
		SECTION 7 been added: Avoid formation of aerosols.	





Version 03. Supersedes version: 02 Page 8 / 8